

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"717.124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:41
L2	611	"717/124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:42
L3	361	"717/124" and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:42
L4	32	"717/124" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
L5	294	"717/125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
L6	13	"717/125" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
L7	447	"717/128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
L8	30	"717/128" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
L9	401	"717/131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
L10	16	"717/131" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44

L11	89	"717/132"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
L12	6	"717/132" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
L13	930	"712/227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
L14	74	"712/227" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
L15	36	"712/209" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
L16	74	"712/227" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
L17	937	"714/10"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
L18	43	"714/10" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
L19	75	"714/11" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
L20	29	"714/12" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45

L21	57	"714/37" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
L22	109	"714/38" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:46
L23	47	"714/45" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:46
L24	40	"714/46" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:46
L25	288	I18 or I19 or I20 or I21 or I22 or I23 or I24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:47
L26	101	I14 or I15 or I16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:47
L27	723	I3 or I6 or I9 or I10 or I12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:48
L28	420	I6 or I9 or I10 or I12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:48
L29	60	I6 or I8 or I10 or I12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:48
S1	1	(configurable adj; processor) and monitor and (instruction near5 insert\$3) and state and (dependenc\$3 or interdependenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:41

S2	13	(configurable adj processor) and tool and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/24 17:45
S3	226	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S4	133	717/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S5	179	717/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S6	176	717/131.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S7	36	717/132.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S8	33	717/133.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S9	361	712/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S10	229	712/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S11	422	714/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36

S12	389	714/11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S13	160	714/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S14	269	714/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S15	1002	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:37
S16	285	714/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:37
S17	347	714/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:37
S18	1	714/46.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:42
S19	1	717/124.ccls. and (configur\$4 adj processor) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:43
S20	1	717/124.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:39
S21	2	712/227.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:39

S22	1	712/209.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:40
S23	3	714/10.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:40
S24	3	714/11.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:41
S25	2	714/37.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:41
S26	1	714/38.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:42
S27	74	configurable adj (processor or pu or (processing adj unit)) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:47
S28	91	(adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:48
S29	57	(adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state and (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:10
S30	1	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near3 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:25

S31	1	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:28
S32	1	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:29
S33	19	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:30
S34	19	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:39
S35	18648	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) near3 state and (pu or processor or microprocessor or (processing adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:42
S36	4636	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) near3 state same (pu or processor or microprocessor or (processing adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:44
S37	355	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:45
S38	10	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 717/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:54
S39	13	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 714/???. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 10:06

S40	9	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 712/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 10:06
S41	29874	(access\$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:55
S42	49786	(debug\$4 or monitor\$3 or instrument\$3 or access\$3 or profil\$3 or trac\$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:56
S43	59211	(debug\$4 or monitor\$3 or instrument\$3 or access\$3 or profil\$3 or trac\$3 or query or querying) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:57
S44	543	access\$3 near3 processor near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:58
S45	119	access\$3 near3 processor adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:58
S46	2	query adj processor adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:59
S47	1075	debug\$4 near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:59
S48	396	debug\$4 near3 processor and ???/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:07
S49	2	debug\$4 near3 processor adj (creation or design or development or configuration) and ???/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:11



S50	0	debug\$4 near3 (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:11
S51	986	configur\$4 adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:12
S52	678	configur\$4 adj processor and (test\$3 or debug\$4 or monitor or instrument\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:13
S53	479	configur\$4 adj processor and (test\$3 or debug\$4 or monitor or instrument\$5) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:13
S54	10	("5450586"   "5535331"   "5748875"   "5819050"   "5854929"   "5870588"   "5999734"   "6006022"   "6182206"   "6195593").PN.	USPAT	OR	OFF	2003/05/01 15:32
S55	0	"6477683".URPN.	USPAT	OR	OFF	2003/05/01 15:37
S56	5	("5303350"   "5452467"   "5635855"   "5777885"   "6272465").PN.	USPAT	OR	OFF	2003/05/01 15:42
S57	26494	state and (dependency or dependencies or interdependencies or inter-dependencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:16
S58	1253	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:28
S59	325	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:32
S60	260	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and ???/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:33

S61	28	processor near5 state same (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:35
S62	0	processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:35
S63	1	processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:35
S64	11	("5359546" "5537560" "5841670" "6182245" "6510402" "5371883"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 08:11
S65	6	("5854929" "5896521" "6142683"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:57
S66	0	Ussery.in. and debug.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:58
S67	27	Ussery.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:58
S68	0	"barry.in" and configurable and multi-processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:59
S69	0	"barry.in" and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:59
S70	120	barry.in. and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 10:00

S71	2	coprocessing/debug and barry.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 10:00
S72	36	debug\$4 near5 (configur\$5 near3 ( processor or pu or (processing adj unit ) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:20
S73	49	debug\$4 near5 (configur\$5 near3 ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:22
S74	441	debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) near3 ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:25
S75	73	debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5)adj ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:36
S76	2	debug\$4 near5 ((configurable or programmable or reprogrammable or re-programmable) adj ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:38
S77	73	debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) adj ( processor or pu or (processing adj unit ) or microprocessor or micro-processor ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 17:06
S78	2	"5754759".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 16:39
S79	1	(analog adj devices).as. and (dinh and hoffman and kolagotla and rivin and roth and singh).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 16:40

S80	111	debug\$4 near5 (configur\$5 or program\$5 or reprogram\$5 or re-programa\$5) SAME (( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) NEAR5 STATE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 17:08
S81	6	debug\$4 near5 (configurable or programmable or reprogrammable or re-programable) SAME (( processor or pu or (processing adj unit ) or microprocessor or micro-processor ) NEAR5 STATE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:24
S82	0	"09506502".an. and wang.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:25
S83	2794	wang.in. and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:25
S84	10	wang.in. and configurable near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:25
S85	4690	debug\$4 and state and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:46
S86	1289	debug\$4 and state and interpret\$3 and (access\$3 or transmit\$4 or send\$3 or collect\$3 or retriev\$3 messaging) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:48
S87	272	embed\$3 near5 debug\$4 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:35
S88	15198	state near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:51
S89	10379	state near2 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:54

S90	312	state near2 processor and ((save near3 restore) or save-and-restore)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:55
S91	125	state near2 processor and ((save near3 restore) or save-and-restore) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:55
S92	125	state near2 processor and ((save near3 restor\$3) or save-and-restor\$3) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:56
S93	256	state near2 processor and ((sav\$3 near3 restor\$3) or save-and-restor\$3) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:56
S94	0	(embed\$3 near5 debug\$4 and state) and (access\$3 adj (state near2 processor ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 15:59
S95	9	access\$3 adj (state near2 processor ) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:10
S96	2	"6118304".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:10
S97	52	access\$3 adj (state near2 processor )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:12
S98	57	embed\$3 near5 debug\$4 and (state near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:36
S99	57	(embed\$3 near5 debug\$4 and (state near3 processor)) not (access\$3 adj (state near2 processor ) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:36

S10 0	34	(state near2 processor and ((sav\$3 near3 restor\$3) or save-and-restor\$3) and embed\$4 ) and (debug\$4 and state and interpret\$3 and (access\$3 or transmit\$4 or send\$3 or collect\$3 or retriev\$3 messaging) near3 state )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 17:12
S10 1	139	chip same ( (multiple or plurality) adj core)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:13
S10 2	1403	chip same topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:14
S10 3	23	retriev\$3 same chip same topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:14
S10 4	5	chip same ( (multiple or plurality) adj core) and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:17
S10 5	2	"6587995".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/30 12:20
S10 6	2	"6587995".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:43
S10 7	7	"6587995".URPN.	USPAT	OR	OFF	2004/11/10 15:31
S10 8	13	("5068823"   "5566097"   "5629876"   "5913052"   "6023565"   "6028993"   "6173419"   "6321366"   "6324672"   "6453456"   "6460172"   "6466898"   "6473727"   "2002/0073380"   "2002/0152060").PN.	USPAT	OR	OFF	2004/11/10 15:34
S10 9	172	(test\$3 or optimiz\$5) same (fpga or programmable) same interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:44

S11 0	0	(test\$3 or optimiz\$5) same (fpga or programmable) same interpret\$3 same (return\$3 near3 state )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:49
S11 1	12	(test\$3 or optimiz\$5) same (fpga or programmable) same interpret\$3 and (return\$3 near3 state )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:54
S11 2	1	(test\$3 or optimiz\$5 or debug\$4) same (send\$3 or transmit\$4) near3 (instruction) same (fpga or programmable) and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:56
S11 3	137	remot\$3 near3 (test\$3 or optimiz\$5 or debug\$4) same (fpga or programmable or configur\$4 ) and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:58
S11 4	94	remot\$3 near3 (test\$3 or optimiz\$5 or debug\$4) same (fpga or programmable or configur\$4 ) and interpret\$3 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:53
S11 5	0	("6104988" "6587995" "6560557" "6618854").pn. and (configurable adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:53
S11 6	2	("6104988" "6587995" "6560557" "6618854").pn. and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:54
S11 7	269	generat\$3 near3 (hardware adj description)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:55
S11 8	0	((configurable adj processor) near5 generat\$3 ) and (generat\$3 near3 (hardware adj description) same ((configurable adj processor) or fpga or eeprom or prom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:56
S11 9	13	(configurable adj processor) near5 generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:56
S12 0	0	"6701515".URPN.	USPAT	OR	OFF	2004/11/10 16:59

S12 1	11	("5257379"   "5361373"   "5696956"   "5768567"   "5819064"   "5857106"   "6035123"   "6096091"   "6189140"   "6216191"   "6321369").PN.	USPAT	OR	OFF	2004/11/10 17:00
S12 2	19	"6477683".URPN.	USPAT	OR	OFF	2004/11/10 17:06
S12 3	36	generat\$3 near3 (hardware adj description) same ((configurable adj processor) or fpga or eeprom or prom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 17:12
S12 4	52	generat\$3 near3( (hardware adj description) or hdl) same ((configurable adj processor) or fpga or eeprom or prom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 17:13
S12 5	16	(generat\$3 near3( (hardware adj description) or hdl) same ((configurable adj processor) or fpga or eeprom or prom) ) not (generat\$3 near3 (hardware adj description) same ((configurable adj processor) or fpga or eeprom or prom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 17:13